

## Collar



- 1) Lay unbuttoned shirt on a flat surface. Button and buttonhole should be facing you.
- 2) Place measuring tape at the left end of buttonhole and measure to the center of the button. Example: Neck measurement on image shown is 16 1/2-inches.



## High Bar Shirt Measuring Guide

### CUFFS



- 1) Lay opened cuff on a flat surface. Measure cuff from edge to edge. Example: Cuff measurement on image shown is 10 3/4-inches.



## TAIL LENGTH



- 1) Lay buttoned shirt on a flat surface. Be sure shirt is completely flat and smoothed out.
- 2) Place tape at the point where the collar, shoulder and front panel meet. Measure down the front to the bottom of the shirt.




## CHEST MEASUREMENT



- 1) Lay buttoned shirt on a flat surface. Be sure the shirt is flat and any excess fabric is completely smoothed out to the sides.
- 2) Place tape under armhole, where sleeve is sewn to the front and measure from edge to edge.
- 3) Take your measurement and DOUBLE to achieve the final chest measurement.

Example: Final chest measurement on the image shown is 50-inches (25x2=50).

## WAIST MEASUREMENT



- 1) Lay button shirt on a flat surface. Be sure the shirt is flat and any excess fabric is completely smoothed out to the sides.
- 2) Place tape at the smallest point of waist (normally this will fall between the 4th and 5th button) and measure from edge to edge.
- 3) Take your measurement and DOUBLE to achieve the final waist measurement.

Example: Final waist measurement on the image shown is 43 1/2-inches ( $21 \frac{3}{4} \times 2 = 43 \frac{1}{2}$ ).


## HIP MEASUREMENT



- 1) Lay button shirt on a flat surface. Be sure the shirt is flat and any excess fabric is completely smoothed out to the sides.
- 2) Place tape at the bottom of the shirt, where the side seams end and measure from edge to edge.
- 3) Take your measurement and DOUBLE to achieve the final hip measurement.

Example: Final hip measurement on the image shown is 48-inches (24x2=48).

## SHOULDER



- 1) With the shirt unbuttoned, lay shoulder on flat surface.
- 2) Place tape on outside right shoulder seam and measure straight across to outside left shoulder seam.

Example: Shoulder measurement on image shown is 20-inches.



## SLEEVE



- 1) To achieve the proper sleeve length you will first need to determine the shoulder measurement.
- 2) Take half of the shoulder measurement (on picture shown above it is 10-inches) and place tape with the half measurement at the outside shoulder seam. Measure down the sleeve to the bottom of the cuff.

Example: Final sleeve length on image shown here is 36 1/2-inches.

